



WRAP STABILIZER KIT, Model WA2F-0416



WRAP STABILIZER KIT, Model WA2F




- A — ARM
- B — COUPLING (UNIVERSAL)
- C — MOTOR MOUNT
- D — FRONT STABILIZER MOUNT
- E — REAR STABILIZER MOUNT

Center of the hole is 21" from the end of the arm





WRAP STABILIZER KIT, Model WA2F-0416

FRONT STABILIZER MOUNT ASSEMBLY – WA2FB-0416




WRAP STABILIZER KIT, Model WA2F-0416

REAR STABILIZER MOUNT ASSEMBLY WA2FC



STABILIZER KIT BRACKET



WRAP STABILIZER KIT, Model WA2F-0416

ITEM	Description	PART No.	QTY.
A	DRIVER/PASSENGER SIDE ARM	WA3D/WA2D	1+1
-	Bracket for Stabilizer Kit (welded to position 21'')	WA2DAE	2
B	FLEX COUPLING or	WAH1	2
B1	UNIVERSAL COUPLING	WAH2	2
C	MOTOR MOUNT	WA6KA	
-	WRAP STABILIZER KIT	WA2F-0416	1Set
D	FRONT STABILIZER MOUNT ASSEMBLY	WA2FB-0416	2
a	FRONT MOUNT	WA2FBA	2
b	THREADED ROD 3/4''-10 x 5''LG	WA2FBB1	2
c	HEX NUT 3/4''-10	HN3410	4
-	SCREW FASTENER SET (INSTEND OF THE PIN)	-	4
d	HEX HEAD CAP SCREW 1/2''-13 x 3'' LG	HHCS1213300	6
e	FLAT WASHER 1/2'' I.D. x 1-1/4'' O.D.	FW12125	8
f	NYLON LOCK NUT 1/2'' - 13	NLN1213	4
E	REAR STABILIZER MOUNT ASSEMBLY	WA2FC	2
1	REAR MOUNT	WA2FCA	2
-	SCREW FASTENER SET (CONNECTION WITH ARM)	-	2
2	HEX HEAD CAP SCREW 1/2''-13 x 2'' LG	HHCS1213200	2
3	FLAT WASHER 1/2'' I.D. x 1-1/4'' O.D.	FW12125	4
4	NYLON LOCK NUT 1/2'' - 13	NLN1213	2
	STABILIZER KIT BRACKET	SAB2-0416	2
F	SHOCK ABSORBER ASSEMBLY	WA2FA	2
	SHOCK ABSORBER	WA1FAA	2
	UHMW BUSHING 1/2'' I.D.	WA2FA1	4

